




TOP AND BASE COVERS  
MINI ROLL ASSORTMENT

TOP COVERS


# CLARINO NASH




81CL8212



81CL5212



81CL5012



81CL2312\*



81CL8612

## MATERIAL COMPOSITION

60% PA / 40% PUR

## CHARACTERISTICS

Antibacterial  
Breathable  
Water vapor permeable  
Washable

## PROCESSING

Can be easily glued, cut and ground  
Recommended for less profiled surfaces due to its strength

## DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M <sup>2</sup>	PER ROLL
81CL3212*	pink	-	0.6 mm	21.67 € / 2.60 rmt	130.00 €
81CL5012	brown	-	0.6 mm	31.30 €	188.00 €
81CL5212	beige	-	0.6 mm	31.30 €	188.00 €
81CL8212	grey	-	0.6 mm	31.30 €	188.00 €
81CL8612	anthracite	-	0.6 mm	31.30 €	188.00 €



PER RUNNING  
METER  
**3.76 €**

# FRESHTEX PRINT




81FTCB12




81FTPI12



81FTSM12



81FTLE12



81FTZE12

## MATERIAL COMPOSITION

75% PES / 25% PUR

## CHARACTERISTICS

Silky soft feel  
 Good tear resistance  
 Good tensile strength  
 Laminated with EVA film to avoid penetration of adhesive

## PROCESSING

Can be easily glued, cut, ground and punched


## DELIVERY FORM

Width approx. 12 cm (ca. 30rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M <sup>2</sup>	PER ROLL
81FTCB12	comic boom	-	0.8 mm	38.90 €	110.90 €
81FTPI12	pinguin	-	0.8 mm	38.90 €	110.90 €
81FTSM12	smarties	-	0.8 mm	38.90 €	110.90 €
81FTLE12	leopard	-	0.8 mm	38.90 €	110.90 €
81FTZE12	zebra	-	0.8 mm	38.90 €	110.90 €

PER RUNNING  
 METER  
**4.41 €**

# DRYFEET SMOOTH




81DF3612



81DF3712



81DF2012\*



81DF1112\*



81DF3212



81DF4012

## MATERIAL COMPOSITION

66% PA / 5% PUR / 29% PES

## CHARACTERISTICS

Very high abrasion resistance

Breathable

Very good moisture absorption and release

Look and feel like leather

Very good tear resistance and tensile strength

## PROCESSING

Can be easily glued, cut and ground

## DELIVERY FORM


Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M <sup>2</sup>	PER ROLL
81DF1112*	orange	smooth	0.8 mm	14.00 € / 1.68 rmt	84.00 €
81DF2012*	red	smooth	0.8 mm	14.00 € / 1.68 rmt	84.00 €
81DF3712	purple	smooth	0.8 mm	17.50 €	105.00 €
81DF3612	dark blue	smooth	0.8 mm	17.50 €	105.00 €
81DF4012	apple	smooth	0.8 mm	17.50 €	105.00 €
81DF3212	aqua	smooth	0.8 mm	17.50 €	105.00 €


Special  
Sale

PER RUNNING  
METER  
**2.10 €**

# DRYFEET SMOOTH



81DF8012



81DF8612



81DF6112



81DF5212



81DF2312



81DF5012

## MATERIAL COMPOSITION

66% PA / 5% PUR / 29% PES

## CHARACTERISTICS

Very high abrasion resistance

Breathable

Very good moisture absorption and release

Look and feel like leather

Very good tear resistance and tensile strength

## PROCESSING

Can be easily glued, cut and ground

## DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M <sup>2</sup>	PER ROLL
81DF5212	beige	smooth	0.8 mm	17.50 €	105.00 €
81DF6112	nature	smooth	0.8 mm	17.50 €	105.00 €
81DF8612	anthracite	smooth	0.8 mm	17.50 €	105.00 €
81DF8012	black	smooth	0.8 mm	17.50 €	105.00 €
81DF5012	brown	smooth	0.8 mm	17.50 €	105.00 €
81DF2312	pink	smooth	0.8 mm	17.50 €	105.00 €

PER RUNNING  
METER  
**2.10 €**

# DRYFEET MICROPERFORATED



81DF86N12




81DF50N12



81DF36N12



81DF52N12



81DF80N12

## MATERIAL COMPOSITION

66% PA / 5% PUR / 29% PES

## CHARACTERISTICS

Very high abrasion resistance

Breathable

Very good moisture absorption and release

Look and feel like leather

Very good tear resistance and tensile strength

## PROCESSING

Can be easily glued, cut and ground

## DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)


ITEM NO.	COLOR	TEXTURE	THICKNESS	M <sup>2</sup>	PER ROLL
81DF86N12	anthracite	microperforated	0.8 mm	18.82 €	113.00 €
81DF50N12	brown	microperforated	0.8 mm	18.82 €	113.00 €
81DF36N12	dark blue	microperforated	0.8 mm	18.82 €	113.00 €
81DF52N12	beige	microperforated	0.8 mm	18.82 €	113.00 €
81DF80N12	black	microperforated	0.8 mm	18.82 €	113.00 €

PER RUNNING  
METER  
**2.26 €**

# DRYFEET EUCALYPTUS



81DE80N12



81DE86N12

## MATERIAL COMPOSITION

66% PA / 5% PUR / 29% PES

## CHARACTERISTICS

Very high abrasion resistance

Breathable

Very good moisture absorption and release

Look and feel like leather

Very good tear resistance and tensile strength

With eucalyptus finish

## PROCESSING

Can be easily glued, cut and ground

## DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M <sup>2</sup>	PER ROLL
81DE80N12	EUCALYPTUS black	microperforated	0.8 mm	20.82 €	124.90 €
81DE86N12	EUCALYPTUS anthracite	microperforated	0.8 mm	20.82 €	124.90 €

PER RUNNING  
METER  
**2.50 €**



# NETTEX




81NN20V12



81NN11V12



81NN38V12



81NN82V12



81NN80V12

## MATERIAL COMPOSITION

100% PES

Laminated with nonwoven 50g/qm black

## CHARACTERISTICS

Very high abrasion resistance

Antibacterial

Breathable

Odor inhibiting

Pre-treated with spray adhesive

## PROCESSING

Can be easily glued, cut and punched

Frays during grinding (flame-scarfing recommended)


## DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)


ITEM NO.	COLOR	TEXTURE	THICKNESS	M <sup>2</sup>	PER ROLL
81NN20V12	red, pre-treated with spray adhesive	-	0.85 mm	12.25 €	73.50 €
81NN11V12	orange, pre-treated with spray adhesive	-	0.85 mm	12.25 €	73.50 €
81NN38V12	blue, pre-treated with spray adhesive	-	0.85 mm	12.25 €	73.50 €
81NN82V12	grey, pre-treated with spray adhesive	-	0.85 mm	12.25 €	73.50 €
81NN80V12	black, pre-treated with spray adhesive	-	0.85 mm	12.25 €	73.50 €

PER RUNNING  
METER  
**1.47€**

# NUBUTEX



81NB6112




81NB5212



81NB6412



81NB6912



81NB8212

## MATERIAL COMPOSITION

100% PA

## CHARACTERISTICS

Very high abrasion resistance  
Antibacterial  
Breathable  
Thermoregulating characteristics

## PROCESSING

Can be easily glued, cut, punched and ground

## DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)


ITEM NO.	COLOR	TEXTURE	THICKNESS	M <sup>2</sup>	PER ROLL
81NB5212	beige	-	0.8 mm	20.81 €	124.83 €
81NB6112	nature	-	0.8 mm	20.81 €	124.83 €
81NB6412	chocolate	-	0.8 mm	20.81 €	124.83 €
81NB6912	taupe	-	0.8 mm	20.81 €	124.83 €
81NB8212	grey	-	0.8 mm	20.81 €	124.83 €

PER RUNNING  
METER

**2.63 €**

TOP COVERS

# PERPEDES PUR NAPPA



81NP80F12

## MATERIAL COMPOSITION

60% PUR / 40% Viscose

## CHARACTERISTICS

High abrasion resistance  
Antibacterial  
Breathable  
Water vapor permeable  
Elastic

## PROCESSING

Can be easily glued, cut, ground

## DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M <sup>2</sup>	PER ROLL
81NP80F12	black	finaly perforated	0.65 mm	16.50 €	99. 00 €


PER RUNNING  
METER

**1.98 €**

# SKINLIFE




81SL34V12



81SL52V12



81SL80V12



81SL83V12

## MATERIAL COMPOSITION

50% PUR / 50% PA

Laminated with nonwoven 50g/qm black

## CHARACTERISTICS

Antimicrobial (allergy friendly)

Excellent moisture transfer

Breathable, water vapor permeable

Comfortable, skin-friendly surface

Good tensile strength

Pre-treated with spray adhesive

## PROCESSING

Can be easily glued and cut

Frays during grinding (flame-scarfing recommended)

## DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M <sup>2</sup>	PER ROLL
81SL34V12	denim	pre-treated	0.8 mm	21.41 €	128.50 €
81SL52V12	beige	pre-treated	0.8 mm	21.41 €	128.50 €
81SL80V12	black	pre-treated	0.8 mm	21.41 €	128.50 €
81SL83V12	silver	pre-treated	0.8 mm	21.41 €	128.50 €

PER RUNNING  
METER  
**2.57 €**

BASE/BOTTOM COVERS

# CARBOTEC



89CT80



89CT88

## MATERIAL COMPOSITION

50% PUR / 50% PA

## CHARACTERISTICS

Carbon look  
High abrasion resistance  
Good tear resistance  
Slightly slip-resistant  
Colorfast and lightfast

## PROCESSING

Can be easily glued, cut, ground, punched and molded  
Non-fraying  
Minimal shrinkage at 130°C

## DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M <sup>2</sup>	PER ROLL
89CT80	black	-	0.9 mm	23.10 €	139.00 €
89CT88	titanium	-	0.9 mm	23.10 €	139.00 €

PER RUNNING  
METER  
**2.78 €**

# PERPEDES PUR CARBON



89CL8012

## MATERIAL COMPOSITION

60% PUR / 40% Viscose

## CHARACTERISTICS

Low abrasion resistance

Good tear resistance

Carbon look

Colorfast and lightfast

## PROCESSING

Can be easily glued, cut, ground and punched

Thermal moldable at 90° - 120°C (minimal shrinkage)

Non-fraying

## DELIVERY FORM


Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M <sup>2</sup>	PER ROLL
89CL8012	black	-	0.6 mm	17.80 €	89.00 €

PER RUNNING  
METER  
**1.78 €**

BASE/BOTTOM COVERS

# NONWOVEN FLEECE



89VP0512

## CHARACTERISTICS

Synthetic fleece  
High abrasion resistance  
Good tear resistance  
Absorbent

## PROCESSING

Can be easily glued, cut, ground, punched and molded

## DELIVERY FORM

Width approx. 12 cm (ca. 30 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M <sup>2</sup>	PER ROLL
89VP0512	brandy	-	0.5 mm	10.10 €	41.00 €

PER RUNNING  
METER  
**1.37 €**





**PLEASE CONTACT US:**

MON. - THU. 08.00 AM - 5.30 PM | FRI. 8.00 AM - 16.00 PM

T. +49 (0)7021 / 738 30 - 0 | F. +49 (0)7021 / 738 30 - 298

[info@perpedes.de](mailto:info@perpedes.de)



[WWW.PERPEDES.DE](http://WWW.PERPEDES.DE)

Order and support:

Mon - Thu: 8.00 am - 5.30 pm

Fri: 8.00 am - 4.00 pm

T. +49 (0) 7021 738 30 - 0

F. +49 (0) 7021 738 30 - 298

[info@perpedes.de](mailto:info@perpedes.de)

Return address:

Perpedes GmbH

Tannenbergstr. 139

73230 Kirchheim unter Teck

Germany

Perpedes GmbH

Haertwasen 8-14

73252 Lenningen

Germany