



TOP AND BASE COVERS
MINI ROLL ASSORTMENT

TOP COVERS

CLARINO NASH



MATERIAL COMPOSITION

60% PA / 40% PUR

CHARACTERISTICS

Antibacterial
Breathable
Water vapor permeable
Washable

PROCESSING

Can be easily glued, cut and ground
Recommended for less profiled surfaces due to its strength


DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M ²	PER ROLL
81CL5012	brown	-	0.6 mm	31.30 €	188.00 €
81CL5212	beige	-	0.6 mm	31.30 €	188.00 €
81CL8212	grey	-	0.6 mm	31.30 €	188.00 €
81CL8612	anthracite	-	0.6 mm	31.30 €	188.00 €

PER RUNNING
METER
3.76 €

DRYFEET SMOOTH



MATERIAL COMPOSITION

66% PA / 5% PUR / 29% PES

CHARACTERISTICS

Very high abrasion resistance
Breathable
Very good moisture absorption and release
Look and feel like leather
Very good tear resistance and tensile strength

PROCESSING

Can be easily glued, cut and ground

DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M ²	PER ROLL
81DF1112*	orange	smooth	0.8 mm	14.00 € / 1.68 rmt	84.00 €
81DF3712	purple	smooth	0.8 mm	17.50 €	105.00 €
81DF3612	dark blue	smooth	0.8 mm	17.50 €	105.00 €
81DF4012	apple	smooth	0.8 mm	17.50 €	105.00 €
81DF3212	aqua	smooth	0.8 mm	17.50 €	105.00 €

PER RUNNING
METER
2.10 €


DRYFEET SMOOTH



81DF8012



81DF8612



81DF6112



81DF5212



81DF5012

MATERIAL COMPOSITION

66% PA / 5% PUR / 29% PES

CHARACTERISTICS

Very high abrasion resistance
Breathable
Very good moisture absorption and release
Look and feel like leather
Very good tear resistance and tensile strength

PROCESSING

Can be easily glued, cut and ground

DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M ²	PER ROLL
81DF5212	beige	smooth	0.8 mm	17.50 €	105.00 €
81DF6112	nature	smooth	0.8 mm	17.50 €	105.00 €
81DF8612	anthracite	smooth	0.8 mm	17.50 €	105.00 €
81DF8012	black	smooth	0.8 mm	17.50 €	105.00 €
81DF5012	brown	smooth	0.8 mm	17.50 €	105.00 €

PER RUNNING
METER
2.10 €

DRYFEET MICROPERFORATED



81DF86N12




81DF50N12



81DF36N12



81DF52N12



81DF80N12

MATERIAL COMPOSITION

66% PA / 5% PUR / 29% PES

CHARACTERISTICS

Very high abrasion resistance
Breathable
Very good moisture absorption and release
Look and feel like leather
Very good tear resistance and tensile strength

PROCESSING

Can be easily glued, cut and ground

DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M ²	PER ROLL
81DF86N12	anthracite	microperforated	0.8 mm	18.82 €	113.00 €
81DF50N12	brown	microperforated	0.8 mm	18.82 €	113.00 €
81DF36N12	dark blue	microperforated	0.8 mm	18.82 €	113.00 €
81DF52N12	beige	microperforated	0.8 mm	18.82 €	113.00 €
81DF80N12	black	microperforated	0.8 mm	18.82 €	113.00 €

PER RUNNING
METER
2.26 €

DRYFEET EUCALYPTUS



81DE52N12



81DE86N12



81DE80N12

MATERIAL COMPOSITION

66% PA / 5% PUR / 29% PES

CHARACTERISTICS

Very high abrasion resistance
Breathable
Very good moisture absorption and release
Look and feel like leather
Very good tear resistance and tensile strength
With eucalyptus finish

PROCESSING

Can be easily glued, cut and ground

DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M ²	PER ROLL
81DE52N12	EUCALYPTUS beige	microperforated	0.8 mm	20.82 €	125.00 €
81DE86N12	EUCALYPTUS anthracite	microperforated	0.8 mm	20.82 €	125.00 €
81DE80N12	EUCALYPTUS black	microperforated	0.8 mm	20.82 €	125.00 €

PER RUNNING
METER
2.50 €

NETTEX




81NN20V12



81NN11V12



81NN38V12



81NN86V12



81NN80V12

MATERIAL COMPOSITION

100% PES
Laminated with nonwoven 50g/qm black

CHARACTERISTICS

Very high abrasion resistance
Antibacterial
Breathable
Odor inhibiting
Pre-treated with spray adhesive

PROCESSING

Can be easily glued, cut and punched
Frays during grinding (flame-scarfing recommended)

DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M ²	PER ROLL
81NN20V12	red, pre-treated with spray adhesive	-	0.85 mm	12.25 €	73.50 €
81NN11V12	orange, pre-treated with spray adhesive	-	0.85 mm	12.25 €	73.50 €
81NN38V12	blue, pre-treated with spray adhesive	-	0.85 mm	12.25 €	73.50 €
81NN86V12	anthracite, pre-treated with spray adhesive	-	0.85 mm	12.25 €	73.50 €
81NN80V12	black, pre-treated with spray adhesive	-	0.85 mm	12.25 €	73.50 €

PER RUNNING
METER
1.47 €

NUBUTEX



81NB6112



81NB5212



81NB6412



81NB6912

MATERIAL COMPOSITION

100% PA

CHARACTERISTICS

Very high abrasion resistance
Antibacterial
Breathable
Thermoregulating characteristics

PROCESSING

Can be easily glued, cut, punched and ground

DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)


ITEM NO.	COLOR	TEXTURE	THICKNESS	M ²	PER ROLL
81NB5212	beige	-	0.8 mm	20.83 €	124.90 €
81NB6112	nature	-	0.8 mm	20.83 €	124.90 €
81NB6412	chocolate	-	0.8 mm	20.83 €	124.90 €
81NB6912	taupe	-	0.8 mm	20.83 €	124.90 €

PER RUNNING
METER
2.50 €


NUBUTEX



81NB8212



81NB8612



81NB8012

MATERIAL COMPOSITION

100% PA

CHARACTERISTICS

Very high abrasion resistance
Antibacterial
Breathable
Thermoregulating characteristics

PROCESSING

Can be easily glued, cut, punched and ground

DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M ²	PER ROLL
81NB8212	grey	-	0.8 mm	20.83 €	124.90 €
81NB8612	anthracite (formerly grey)	-	0.8 mm	20.83 €	124.90 €
81NB8012	black	-	0.8 mm	20.83 €	124.90 €

PER RUNNING
METER
2.50 €

PERPEDES PUR NAPPA



81NP52G12



81NP80G12

MATERIAL COMPOSITION

60% PUR / 40% Viscose

CHARACTERISTICS

High abrasion resistance
Antibacterial
Breathable
Water vapor permeable
Elastic

PROCESSING

Can be easily glued, cut, ground


DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M ²	PER ROLL
81NP52G12	beige	perforated	0.65 mm	14.80 €	89.00 €
81NP80G12	black	perforated	0.65 mm	14.80 €	89.00 €

PER RUNNING
METER
1.78 €

PERPEDES PUR NAPPA



81NP80F12

MATERIAL COMPOSITION

60% PUR / 40% Viscose

CHARACTERISTICS

High abrasion resistance
Antibacterial
Breathable
Water vapor permeable
Elastic

PROCESSING

Can be easily glued, cut, ground

DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M ²	PER ROLL
81NP80F12	black	finely perforated	0.65 mm	16.50 €	99.00 €

PER RUNNING
METER
1.98 €


SKINLIFE



81SL34V12



81SL80V12



81SL83V12

MATERIAL COMPOSITION

50% PUR / 50% PA
Laminated with nonwoven 50g/qm black

CHARACTERISTICS

Antimicrobial (allergy friendly)
Excellent moisture transfer
Breathable, water vapor permeable
Comfortable, skin-friendly surface
Good tensile strength
Pre-treated with spray adhesive

PROCESSING

Can be easily glued and cut
Frays during grinding (flame-scarfing recommended)

DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M ²	PER ROLL
81SL34V12	denim	pre-treated	0.8 mm	21.41 €	128.50 €
81SL80V12	black	pre-treated	0.8 mm	21.41 €	128.50 €
81SL83V12	silver	pre-treated	0.8 mm	21.41 €	128.50 €

PER RUNNING
METER
2.57 €

SKINLIFE



81SL52V12

MATERIAL COMPOSITION

50% PUR / 50% PA
Laminated with nonwoven 50g/qm black

CHARACTERISTICS

Antimicrobial (allergy friendly)
Excellent moisture transfer
Breathable, water vapor permeable
Comfortable, skin-friendly surface
Good tensile strength
Pre-treated with spray adhesive

PROCESSING

Can be easily glued and cut
Frays during grinding (flame-scarfing recommended)

DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M ²	PER ROLL
81SL52V12	beige	pre-treated	0.8 mm	22.10 €	132.50 €

PER RUNNING
METER
2.65 €

SKINLIFE



81SLPR1V12

MATERIAL COMPOSITION

50% PUR / 50% PA
Laminated with nonwoven 50g/qm black

CHARACTERISTICS

Antimicrobial (allergy friendly)
Excellent moisture transfer
Breathable, water vapor permeable
Comfortable, skin-friendly surface
Good tensile strength
Pre-treated with spray adhesive

PROCESSING

Can be easily glued and cut
Frays during grinding (flame-scarfing recommended)

DELIVERY FORM


Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M ²	PER ROLL
81SLPR1V12	print	genadelt	0.8 mm	23,17 €	139,00 €


PER RUNNING
METER
2.78 €

BASE/BOTTOM COVERS

CARBOTEC



89CT80



89CT88

MATERIAL COMPOSITION

50% PUR / 50% PA

CHARACTERISTICS

Carbon look
High abrasion resistance
Good tear resistance
Slightly slip-resistant
Colorfast and lightfast

PROCESSING

Can be easily glued, cut, ground, punched and molded
Non-fraying
Minimal shrinkage at 130°C

DELIVERY FORM

Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M ²	PER ROLL
89CT80	black	-	0.9 mm	23.17 €	139.00 €
89CT88	titanium	-	0.9 mm	23.17 €	139.00 €

PER RUNNING
METER
2.78 €

PERPEDES PUR CARBON



89CL8012

MATERIAL COMPOSITION

60% PUR / 40% Viscose

CHARACTERISTICS

Low abrasion resistance
Good tear resistance
Carbon look
Colorfast and lightfast

PROCESSING

Can be easily glued, cut, ground and punched
Thermal moldable at 90° - 120°C (minimal shrinkage)
Non-fraying

DELIVERY FORM


Width approx. 12 cm (ca. 50 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M ²	PER ROLL
89CL8012*	black	-	0.6 mm	11.93€	66.75 €

Special
Sale

PER RUNNING
METER
1.34 €

NONWOVEN FLEECE



89VP0512

CHARACTERISTICS

Synthetic fleece
High abrasion resistance
Good tear resistance
Absorbent

PROCESSING

Can be easily glued, cut, ground, punched and molded

DELIVERY FORM

Width approx. 12 cm (ca. 30 rmt)

ITEM NO.	COLOR	TEXTURE	THICKNESS	M ²	PER ROLL
89VP0512	brandy	-	0.5 mm	10.10 €	41.10 €

PER RUNNING
METER
1.37 €



PLEASE CONTACT US:

MON. - THU. 08.00 AM - 5.30 PM | FRI. 8.00 AM - 16.00 PM
T. +49 (0)7021 / 738 30 - 0 | F. +49 (0)7021 / 738 30 - 298
info@perpedes.de



WWW.PERPEDES.DE

Order and support:

Mon - Thu: 8.00 am - 5.30 pm

Fri: 8.00 am - 4.00 pm

T. +49 (0) 7021 738 30 - 0

F. +49 (0) 7021 738 30 - 298

info@perpedes.de

Return address:

Perpedes GmbH

Tannenbergstr. 139

73230 Kirchheim unter Teck

Germany

Perpedes GmbH

Haertwasen 8-14

73252 Lenningen

Germany